Especificaciones

Eaton 170M1567D

Catalog Number: 170M1567D

Eaton Bussmann series high speed square body fuse, 690V (IEC), 100A, 200 kAIC, Combination fuse status indicator, Fuse, Din 43-620 blade end X Din 43-620 blade end, Class aR

General specifications

Product Name
Eaton Bussmann series high speed square body fuse

Catalog Number
170M1567D

UPC
051712334860

EAN
5027590441322

Product Length/Depth
79 mm

Product Height
51 mm

Product Width
21 mm

Product Weight
135.8 g

Compliances
CE Marked
RoHS Compliant

Certifications
UL Recognized
IEC Rated

Especificaciones del producto

Type

Fuse

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Amperage Rating

100 A

Breaking capacity

200 kA

Fuse indicator

Combination fuse status indicator

Insulated metal gripping lugs (IMGL)

No

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

000

Rated voltage AC

690 V

Current type

AC

Class

Class aR

Clearing (I2T)

4950 at 660 V

Watt losses

16.5 W

Fuse shape

Square body, knife blade contacts

Pre arc (I2T)

695

Color

None

Recursos

Interrupt rating

200 kAIC

Fitted with:

Dual indicator

Connection

Din 43-620 blade end x Din 43-620 blade end

Construction size

000

Packaging type

Standard

Voltage rating

690 V (IEC), 700 V (UL)

Fuse type

DIN 43620

Bladed

Fuse system (according to IEC 60269)

Other

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. Todos los derechos reservados.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia